



BCM[®]

CONTINGENCY READY



BCM[®] STOCK MOD 3



Informed by years of overseas use during contingency events, the BCM® Mod 3 Stock is the newest refinement of the baseline M4 accessory. A minimalist snag free component, the BCM Mod 3 Stock has been shaved down to 6.4 oz slick with an improved double-walled (H-Beam) construction to ensure reliability and durability during use.



Two friction fit M3 marksman risers, approximately .5" and .8", have been designed to interface with the Mod 3. These risers can be mounted in six positions, and can be oriented either "forward" or "reverse" to provide the end user a unique flexibility in configuring their weapon system.

When employed with the M3 optional marksman riser, the BCM Mod 3 Stock enables a consistent cheek weld when running electro-optics and low powered variable optics set up for passive night vision employment or close-quarter battle.



MARKSMAN LIGHTFIGHTER

A removable solid diamond textured non-slip buttpad, optimized for high-ready weapons manipulation, the Mod 3 also offers non-slip side grip panels for supported shooting positions.

QUICK ADJUST READY

The Mod 3 stock has both horizontal and vertical web sling attachment points, which double as interfaces for our BCM MCMR-SM Quick Detachable Sling Mount. Vital to retaining the weapon system during contingencies, slings of any make and model will work with the Mod 3 out of the box.

OFF-ROAD CAPABLE

Inheriting the patented internal latch system (United States Patent Number: 9,109,855), the BCM Mod 3 Stock now features a ergonomic lever for immediate positioning as well as tool-less install/removal.



The background of the image is a stylized American flag. The left side features a field of stars, while the right side consists of horizontal stripes. The text is overlaid on the stripes.

MADE IN THE UNITED STATES OF AMERICA

All BCM components and accessories unite state of the art manufacturing with lightweight and durable materials to ensure components that last a lifetime, performing far beyond performance requirements established nearly six decades ago.

BRAVOCOMPANYMFG.COM/MOD3STOCK